- > IM-130NE
- > IM-130NE-21
- > IM-130NE-23

daily ice production capacity of up to 130kg




Cube ice is perfectly symmetrical and leaves a good impression with its hard, crystal clear quality that melts very slowly; allowing customers to enjoy their favourite drink longer. The IM series allows more flexibility of application with each range offering ice in variable sizes alongside a design for uncomplicated usage from start to finish.




## **FEATURES**

- > smart computer board technology
- slide-in air filter for easy cleaning
- stainless steel exterior

## **UNIQUE ICE PRODUCTION SYSTEM FOR ICE CUBE**





**ICE TYPE & SIZE** 











## CUBE ICE MAKER AIR SYSTEM

## **BACK SIDE**





| MODEL NAME                                   |                   | IM-130NE                                       | IM-130NE-21         | IM-130NE-23     |
|----------------------------------------------|-------------------|------------------------------------------------|---------------------|-----------------|
| ICE DIMENSIONS (MM)                          |                   | 28 x 28 x 32                                   | 21 x 21 x 14        | 28 x 28 x 23    |
| DIMENSIONS (MM)                              |                   | Body: 704 x 506 x 1270 / Leg Height: 90-130 mm |                     |                 |
| PACKED DIMENSIONS (MM)                       |                   | 830 x 620 x 1395                               |                     |                 |
| WEIGHT (NETT/GROSS)                          |                   | 76 KG / 84 KG                                  |                     |                 |
| AMPERAGE / STARTING AMPERAGE                 |                   | 4.5A / 19A                                     |                     |                 |
| ELECTRICAL CONSUMPTION                       |                   | 700 W                                          |                     |                 |
| REFRIGERANT CHARGE                           |                   | R134a                                          |                     |                 |
| HEAT REJECTION (AT32°C/WT21°C)               |                   | 1880 W (1620 kcal/h)                           |                     |                 |
| ICE PRODUCTION<br>PER 24H (15MM)             | (AT10°C/WT10°C)   | 130 KG                                         | 110 KG              | 100 KG          |
|                                              | (AT21°C/WT15°C)   | 112 KG                                         | 100 KG              | 90 KG           |
|                                              | (AT32°C/WT21°C)   | 96 KG                                          | 87 KG               | 76 KG           |
| WATER CONSUMPTION PER 24H<br>(AT21°C/WT15°C) |                   | $0.26 \; \text{m}^{\text{3}}$                  | 0.36 m <sup>3</sup> | 0.29 m³         |
|                                              |                   | 2.3L / 1KG ICE                                 | 3.6L / 1KG ICE      | 3.2L / 1KG ICE  |
| ICE PRODUCTION<br>(AT21°C/WT15°C)            | FREEZE CYCLE TIME | 22 MIN                                         | 14 MIN              | 19 MIN          |
|                                              | PER CYCLE         | 1.8 KG / 80 PCS                                | 1.15 KG / 190 PCS   | 1.3 KG / 80 PCS |
| STORAGE CAPACITY                             |                   | 50 KG                                          |                     |                 |

NOTE: All dimensions indicated are Width x Depth x Height in mm. \*60Hz units are available upon request

OPERATING CONDITIONS: • Voltage Range: 198V-254V • Ambient Temperature: 1°-40°C • Water Supply: 5°-35°C / 0.07-0.8 Mpa / 7.25-116 PSI • AC Supply Voltage: 1/220-240V / 50 Hz